10594185 - GAU: 4131
PTO(SD08a (08-03):
Approved for use through 07310000 CMB 085-1003
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Receipt date: 02/23/2007

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Not for submission under 37 CFR 1.99)	Application Number		10594185	
	Filing Date		2006-09-25	
	First Named Inventor Josep		seph B. Schlenoff	
	Art Unit			
	Examiner Name			
	Attorney Docket Number		FSU 70008.3	

			Remove			
Examiner Initial*	Cite No	Patent Number	Kind Code ¹	Issue Date	Name of Patentee or Applicant of cited Document	Pages,Columns,Lines where Relevant Passages or Relevant Figures Appear
	1	3467604		1969-09-16	Michaels	
	2	4169023		1979-09-25	Sata et al.	
	3	4501835		1985-02-26	Berke	
	4	4654235		1987-03-31	Effenberger et al.	
	5	5208111		1993-05-04	Decher et al.	
	6	5711915		1998-01-27	Siegmund et al.	
	7	5807636		1998-09-15	Sheu et al.	
	8	5939323		1999-08-17	Valentini et al.	

NEODMATION DIGGI COURT			Filing Date			2006-09-25					
		TION DISCLOSU		First Named I	Inventor J	osep	ph B. Schlenoff				
		NT BY APPLICA ssion under 37 CFR 1		Art Unit							
(NOT IOF:	Subilli	ssion under 37 GFK 1	.55)	Examiner Name							
				Attorney Docl	ket Number	.	FSU 70008.	3			
	9	6402918	B1	2002-06-11	Schlenoff et	al.					
	10	6468657	В1	2002-10-22	Hou et al.						
	11	6610789	B2	2003-08-26	Watakabe et al.						
	12	6841054	B2	2005-01-11	Schlenoff et al.						
	13	6860980	B2	2005-03-01	Locascio et al.						
	14	7101947	B2	2006-09-05	Schlenoff et al.				4.5		
If you wis	h to ac	ld additional U.S. Paten	t citatio	n information pl	ease click th	e Ad	ld button.		Add		
			U.S.P	ATENT APPLIC	CATION PU	BLIC	ATIONS		Remove		
Examiner Initial*	Cite No	Publication Number	Kind Code ¹	Publication Date	Name of Pa of cited Doo		ee or Applicent	Rele	Pages,Columns,Lines where Relevant Passages or Releva Figures Appear		
	1	20030078388	A1	2003-04-24	Basey et al.						
	2	20030215626	A1	2003-11-20	Hiller et al.						
	3	20040022691	A1	2004-02-05	Allen et al.						

Application Number

10594185

10594185 - GAU: 4131

Receipt date: 02/23/2007

			Filing Date			2006-09-25						
		TION DISCLOSU		First N	lamed I	nventor J	osep	eph B. Schlenoff				
		NT BY APPLICA ission under 37 CFR 1		Art Un	it	•						
(NOLIOI :	subilli	ission under 37 CFK 1	.55)	Exami	ner Naı	me						
				Attorn	ey Docl	ket Number		FSU 70008.3				
	4	20040060481	A1	2004-04	-01	Schlenoff						
	5	20040084312	A1	2004-05	-06	Warner et al.						
	6	20040149572	A1	2004-08	-05	Schlenoff et	al.					
	7	20040265603	A1	2004-12	-30	Schlenoff						
	8	20050025675	A1	2005-02	-03	Schlenoff et	al.					
	9	20050282925	A1	2005-12	-22	Schlenoff et	al.					
	10	20060065529	A1	2006-03	-30	Schlenoff et	al.					
If you wisl	h to ac	dd additional U.S. Publi	shed Ap	plication	citation	n information	plea	ase click the Add	butto	n. Add		
				FOREIC	N PAT	ENT DOCU	MEN	NTS		Remove		
Examiner Initial*	Cite No	Foreign Document Number ³	Country Code ²		Kind Code ⁴	Publication Date	A	lame of Patentee pplicant of cited ocument		where Rel	or Relevan	T5
	1											
If you wish	h to ac	ı dd additional Foreign Pa	atent Do	cument	citation	information	plea	se click the Add	button	Add		_
			NON	I-PATEN	IT LITE	RATURE D	ocu	MENTS		Remove		

Application Number

10594185

10594185 - GAU: 4131)

Receipt date: 02/23/2007

Receipt date: 02/23/2007 INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Not for submission under 37 CFR 1.99) Application Number 10594185 10594185 - GAU: 4131 Filing Date 2006-09-25 First Named Inventor Joseph B. Schlenoff Art Unit Examiner Name

FSU 70008.3

Attorney Docket Number

Examiner Initials*	Cite No	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, pages(s), volume-issue number(s), publisher, city and/or country where published.	T5
	1	BARKER, S. L. R., et al., "Control of Flow Direction in Microfluidic Devices with Polyelectrolyte Multilayers," Analytical Chemistry, December 15, 2000, Pages 5925-5929, Volume 72, Number 24	
	2	CARUSO, F., et al., "Coated Colloids: Preparation, Characterization, Assembly and Utilization," Chapter 12, Multilayer Thin Films, 2003, Pages 331-362	
	3	CHEN, W., et al., "Layer-by-Layer Deposition: A Tool for Polymer Surface Modification," Macromolecules, 1997, Pages 78-86, Volume 30, Number 1	
	4	CHENG, Y., et al., "Ultrathin Polypeptide Multilayer Films for the Fabrication of Model Liquid/Liquid Electrochemical Interfaces," J. Phys. Chem. B, 1999, Pages 8726-8731, Volume 103, Number 41	
	5	DAI, J., et al., "Controlling the Permeability of Multilayered Polyelectrolyle Films Through Derivatization, Cross-Linking, and Hydrolysis," Langmuir, 2001, Pages 931-937, Volume 17, Number 3	
	6	DECHER, G., "Fuzzy Nanoassemblies: Toward Layered Polymeric Multicomposites," Science, August 29, 1997, Pages 1232-1237, Volume 277	
	7	DECHER, G., "Polyelectrolyte Multilayers, An Overview," Chapter 1, Multilayer Thin Films, 2002, Pages 1-46	
	8	DELONGCHAMP, D. M., et al., "Fast Ion Conduction in Layer-by-Layer Polymer Films," Chem. Mater., 2003, Pages 1165-1173, Volume 15, Number 5	
	9	DEYOUNG, J. P., et al., "Synthesis of Fluoropolymers in Liquid and Supercritical Carbon Dioxide Solvent Systems," Chapter 13, Fluoropolymers 1 Synthesis, 1999, Pages 191-205	
	10	DURSTOCK, M. F., et al., "Dielectric Properties of Polyelectrolyte Multilayers," Langmuir, 2001, Pages 7865-7872, Volume 17, Number 25	

					0011110	
Receipt date: 02/23/2007	Application Number		10594185	10594185 - GAU: 4		
	Filing Date		2006-09-25			
NFORMATION DISCLOSURE	First Named Inventor	Josep	h B. Schlenoff			
STATEMENT BY APPLICANT Not for submission under 37 CFR 1.99)	Art Unit					
Not for submission under 57 Of K 1.39)	Evaminor Namo					

FSU 70008.3

Attorney Docket Number

11	FRIEND, R. H., et al., "Electroluminscence in Conjugated Polymers," Chapter 29, Handbook of Conducting Polymers, 1998, Pages 823-845	
12	GOOD, R. J., "Contact Angle, Wetting, and Adhesion: A Critical Review," J. Adhesion Sci. Technol., 1992, Pages 1269-1302, Volume 6, Number 12	
13	THOMPSETT, D., "Catalysts for the Proton Exchange Membrane Fuel Cell," Chapter 6, Fuel Cell Technology Handbook, 1989, Pages 6-1 - 6-23	
14	HSIEH, M. C., et al., "Surface "Priming" for Layer-by-Layer Deposition: Polyelectrolyte Multilayer Formation on Allylamine Plasma-Modified Poly(tetrafluoroethylene)," Macromolecules, 1997, Pages 8453-8458, Volume 30, Number 26	
15	HYDE, F. W., et al., "Comparison of Fluorinated Polymers Against Stainless Steel, Glass and Polypropylene in Microbial Biofilm Adherence and Removal," Journal of Industrial Microbiology and Biotechnology, July 15, 1997, Pages 142-149, Volume 19	
16	ILER, R.K., "Multilayers of Colloidal Particles," Journal of Colloid and Interface Science, 1966, Pages 569-594, Volume 21	
17	JISR, R. M., et al., "Hydrophobic and Ultrahydrophobic Multilayer Thin Films from Perfluorinated Polyelectrolyles," Angew. Chem. Int. Ed., 2005, Pages 762-785, Volume 44	
18	KOZLOVSKAYA, V., et al., "Hydrogen-Bonded Polymer Capsules Formed by Layer-by-Layer Self-Assembly," Macromolecules, 2003, Pages 8590-8592, Volume 36, Number 23	
19	LOSCHE, M., et al., "Detailed Structure of Molecularly Thin Polyelectrolyte Multilayer Films on Solid Substrates as Revealed by Neutron Reflectometry," Macromolecules, 1998, Pages 8893-8906, Volume 31, Number 25	
20	MAMEDOV, A. A., et al., "Free-Standing Layer-by-Layer Assembled Films of Magnetite Nanparticles," Langmuir, 2000, Pages 5530-5533, Volume 16, Number 13	
21	MICHAELS, A. S., "Polyelectrolyte Complexes," Industrial and Engineering Chemistry, October 1965, Pages 32-40, Volume 57, Number 10	

Receipt date: 02/23/2007	Application Number		10594185	10594185 - GAU: 413
NFORMATION DISCLOSURE STATEMENT BY APPLICANT Not for submission under 37 CFR 1.99)	Filing Date		2006-09-25	
	First Named Inventor Joseph B. Schle		h B. Schlenoff	
	Art Unit			
	Examiner Name			
	Attorney Docket Number		FSU 70008.3	

	22	ONER, D., et al., "Ultrahydrophobic Surfaces. Effects of Topography Length Scales on Wettability." Langmuir, 2000. Pages 7777-7782, Volume 16, Number 20						
	23	PARK, J., et al., "Stamping of Fluo 1-2, Volume 44, Number 1	prinated Copolymers for Microfluidic	Applications," Polymer F	Preprints, 2003, Pages			
	24	ROSIDIAN, A., et al., "lonic Self-Assembly of Ultrahard ZrO2/Polymer Nanocomposite Thin Films," Advanced Materials, 1998, Pages 1087-1091, Volume 10, Number 14						
	25	SALLOUM D. S., et al., "Vascular Smooth Muscle Cells on Polyelectrolyte Multilayers: Hydrophobicity-Directed Adhesion and Growth," Biomacromolecules, 2005, Pages 161-167, Volume 6, Number 1						
	SCHLENOFF, J. B., et al., "Sprayed Polyelectrolyte Multilayers," Langmuir, 2000, Pages 9968-9969, Volume 16, Number 26							
	THOMPSETT, D., "Catalysts for the Proton Exchange Membrane Fuel Cell," Chapter 6, Fuel Cell Technology Handbook, 1989, Pages 6-1 - 6-23							
	28 YANG, B., et al., "Multilayered Membranes with Suppressed Fuel Crossover for Direct Methanol Fuel Cells," Electrochemistry Communications 6, 2004, Pages 231-236							
	29 YOO, D., et al., "Controlling Bilayer Composition and Surface Wettability of Sequentially Absorbed Multilayers of Weak Polyelectrolytes," Macromolecules, 1998, Pages 4309-4318, Volume 31, Number 13							
If you wis	h to a	d additional non-patent literatur	re document citation information	please click the Add b	outton Add			
			EXAMINER SIGNATURE					
Examiner	Signa	ure /Irina Krylova/		Date Considered	02/02/2009			
			ether or not citation is in conform					

¹ See Kind Codes of USPTO Patent Documents at www.USPTO.GOV or MPEP 901.04. ² Enter office that issued the document, by the two-letter code (WIPO Standard ST.3). ³ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁴ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁵ Applicant is to place a check mark here if English language translation is attached.